

บริการอบสี




อบสีฝุ่น (Powder Coating)

เพิ่มความทนทานต่อสภาพ
แวดล้อมและเพิ่มความสวยงาม
ใช้เวลาอบสีโดยประมาณ 4 - 10
วันทำการ ขึ้นอยู่กับจำนวนสินค้า
และลำดับคิวการผลิต



GH 471030



GH 471146



GH 481089




GH 481017



GP 281001



GH 471020



GH 481051



GF 111028 FI




GF 113385 FI




GE 302001 L



GH 412001



GH 432004



GF 142005 I



GP 262005 V




GH 492003




GH 402010 F



GH 412006 F




GP 212049 F



GH 483121



GF 174124 I



GP 283024 I




GH 484038



GH 464062



GP 283032



GF 163337 I



GH 444037



GH 483038



GF 133191 CI




GF 133190 CI



GH 452050 AM



GH 433241 C



GH 493180 M



GH 452013 AM



GH 413233 FV




GP 243198 M



GH 452017 AM



GH 486022



GP 289004



GH 448004



GH 486012




GH 489017



GP 288136



GP 280017



GH 489006




GH 488007




GH 480015



GP 289022 I



GH 487017 L



GH 487109



GH 487023



GH 487012



GH 425028 F



GF 113478 FI



GP 232005 C